

RICK D. NYDEGGER
BRENT P. LORIMER
THOMAS R. VUKSINICK
LARRY R. LAYCOCK
JONATHAN W. RICHARDS
DAVID R. WRIGHT
JOHN C. STRINGHAM
JOHN M. GUYN
CHARLES L. ROBERTS
DANA L. TANGREN
ERIC L. MASCHOFF
CHARLES J. VEVERKA
ROBYN L. PHILLIPS
RICHARD C. GILMORE *
STERLING A. BRENNAN
R. BURNS ISRAELSEN
DAVID R. TODD
GREGORY M. TAYLOR
DAVID B. DELLENBACH
L. DAVID GRIFFIN
ADRIAN J. LEE
FRASER D. ROY
CARL T. REED

WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS



1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328-1707
WEBSITE: [HTTP://WWW.WNLAW.COM](http://www.wnlaw.com)

PATENT

Docket No. 7678.614

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Peter M. Allred, et al.

Serial No.: 10/098,709) Art Unit
Filed: March 13, 2002) 1711
For: DENTAL BONDING COMPOSITIONS FOR)
ADHERING AMALGAM RESTORATIVES TO)
DENTAL SUBSTRATES)
Examiner: Sanza L. McClendon)
Patent No.: 6,756,417 B2)
Issue Date: June 29, 2004)



R. PARRISH FREEMAN, JR.
PETER F. MALEN, JR.
L. REX SEARS, PH.D.
WILLIAM R. RICHTER
ERIC M. KAMERATH
ROBERT E. AVOCK
JENS C. JENKINS
KEVIN W. STINGER
WILLIAM J. ATHAY
MICHAEL B. DODD
RYAN D. BENSON
SARA D. JONES
TIGE KELLER
JANNA L. JENSEN
MATTHEW D. TODD
J. LAVAR OLDHAM
MICHAEL J. FRODSHAM
JOSEPH L. KRUPA
BRETT A. HANSEN
BRETT I. JOHNSON
MATTHEW A. BARLOW
WESLEY C. ROSANDER
ANDREW S. HANSEN
CHAD E. NYDEGGER
JOSEPH G. PIA
CLINTON E. DUKE
RYAN N. FARR *
JAMES B. BELSHE
ALISON B. MOHR
KIRK R. HARRIS
KEELY SCHNEITER
MICHAEL M. BALLARD
DAVID A. JONES
SHANE K. JENSEN
JONATHAN M. BENNS, PH.D.

VERNON R. RICE §
OF COUNSEL

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.

03/15/2005 YPOLITE2 00000013 6756417

100.00 0P

01 FC:1811
* Admitted only in California
§ Admitted only in Virginia

MAR 21 2005

Certificate
MAR 17 2005
of Correction

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 10th day of March, 2005.

Respectfully submitted,



Rick D. Nydegger
Attorney for Patentee
Registration No. 28,651
Customer No. 022913

RDN:jjb
Docket: 7678.614
PR0000000614V001

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 10th day of March, 2005.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 141278 for \$100.00

MAR 21 2005

RICK D. NYDEGGER
BRENT P. LORIMER
THOMAS R. VUKSINICK
LARRY R. LAYCOCK
JONATHAN W. RICHARDS
DAVID R. WRIGHT
JOHN C. STRINGHAM
JOHN M. GUYNN
CHARLES L. ROBERTS
DANA L. TANGREN
ERIC L. MASCHOFF
CHARLES J. VEVERKA
ROBYN L. PHILLIPS
RICHARD C. GILMORE
STERLING A. BRENNAN
R. BURNS ISRAELSEN
DAVID R. TODD
GREGORY M. TAYLOR
DAVID B. DELLENBACH
L. DAVID GRIFFIN
ADRIAN J. LEE
FRASER D. ROY
CARL T. REED

WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS



1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328-1707
WEBSITE: [HTTP://WWW.WNLAW.COM](http://www.wnlaw.com)

PATENT
Docket No. 7678.614

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of



	Peter M. Allred, et al.)
Serial No.:	10/098,709) Art Unit
Filed:	March 13, 2002) 1711
For:	DENTAL BONDING COMPOSITIONS FOR ADHERING AMALGAM RESTORATIVES TO DENTAL SUBSTRATES)
Examiner:	Sanza L. McClendon)
Patent No.:	6,756,417 B2)
Issue Date:	June 29, 2004)

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 10th day of March, 2005.

Respectfully submitted,


Rick D. Nydegger
Attorney for Patentee
Registration No. 28,651
Customer No. 022913

RDN:jjb
Docket: 7678.614
PR0000000614V001

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 10th day of March, 2005.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 141278 for \$100.00

MAR 21 2005

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,756,417 B2

DATED : June 29, 2004

INVENTOR(S) : Peter M. Allred, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3

Line 67, after "so as" insert --to--

Column 12

Line 48, after "polymerizable" change "materials" to --material--

Column 14

Line 1, after "level of" change "partially" to --partial--

Column 16

Line 38, before "bonding" change "denting" to --dental--

Line 55, after "they may" change "reactive" to --reactivate--

Column 37

Line 57, after "at least one" remove [an]

MAILING ADDRESS OF SENDER: **Rick D. Nydegger**
WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

PATENT NO. 6,756,417 B2

No. of additional copies

→ 0

MAR 21 2005

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,756,417 B2

DATED : June 29, 2004

INVENTOR(S) : Peter M. Allred, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3

Line 67, after "so as" insert --to--

Column 12

Line 48, after "polymerizable" change "materials" to --material--

Column 14

Line 1, after "level of" change "partially" to --partial--

Column 16

Line 38, before "bonding" change "denting" to --dental--

Line 55, after "they may" change "reactive" to --reactivate--

Column 37

Line 57, after "at least one" remove [an]

MAILING ADDRESS OF SENDER: Rick D. Nydegger
WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

PATENT NO. 6,756,417 B2

No. of additional copies

→ 0

MAR 21 2005